NSN 4720-01-050-3046

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-050-3046

| Cross Sectional Shape: |
|---|
| Round |
| Thread Class: |
| 3b 1st end |
| Thread Direction: |
| Right-hand 1st end |
| Inside Diameter: |
| 0.250 inches |
| Tempurature Rating: |
| -67.0 degrees fahrenheit single response and 158.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.500 inches |
| Exterior Color: |
| Black |
| Hose Or Tubing Specification/std Data: |
| Mil-j-5593, size 4 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| First End Fitting Specification/std Data: |
| Ms27404 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Connection Style: |
| Swivel nut flare 1st end |
| End Connection Design: |
| Straight 1st end |
| End Fitting Component And Material: |
| Complete fitting aluminum alloy all ends |
| Fitting Component And Surface Treatment: |
| Complete fitting anodize 1st end |
| Connection Type: |
| Threaded internal tube 1st end |
| Second End Relationship With First End: |
| Identical |
| Burst Test Pressure: |
| 1250.0 pounds per square inch |
| First End Swivel Action Capability: |
| Not included |
| Layer Composition And Location: |
| Outer layer molded rubber err-100 |
| Maximum Operating Pressure: |
| 200.0 pounds per square inch |
| Thread Size: |
| 0.438 inches 1st end |

37.0 degrees 1st end

Seat Angle:

NSN 4720-01-050-3046

Nonmetallic Hose Assembly - Page 2 of 2



Hydrostatic Test Pressure: 400.0 pounds per square inch **Outer Covering Environmental Protection:** Abrasion resistant and fuel resistant and oil resistant **Inside Surface Condition:** Smooth **Measuring Method And Length:** 18.500 inches working **Special Features:** Inner conveying tube material-rubber Media For Which Designed: Air single response **Thread Series Designator:** Unjf 1st end Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Mil-std (military Standard): Mil-j-5593 spec.

Fiig: A542a0