NSN 4720-01-051-1613

Cross Sectional Shape:

Unf 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-051-1613

Round
Thread Class:
2a 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.343 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 250.0 degrees fahrenheit single response
Outside Diameter:
0.546 inches
Minimum Inside Bending Radius:
2.500 inches
Angle Between Rigid Elbow Fittings In Deg:
331.0
Quick Disconnect Size:
0.875 inches 2nd end
End Application:
An/alq-155; an/alt-28
Connection Style:
Push (internal) 2nd end
End Connection Design:
Elbow 2nd end
Connection Type:
Threaded external boss 1st end
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
50.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Hydrostatic Test Pressure:
75.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
7.437 inches working
Thread Series Designator:

NSN 4720-01-051-1613

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0