Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-053-0310

| Cross Sectional Shape:   |
|--|
| Round  |
| Thread Class:  |
| 3b 1st end   |
| Thread Direction:  |
| Right-hand 1st end   |
| Inside Diameter:   |
| 0.297 inches   |
| Tempurature Rating:  |
| 160.0 degrees fahrenheit single response   |
| Outside Diameter:  |
| 0.684 inches   |
| Minimum Inside Bending Radius:   |
| 2.500 inches   |
| Inner Conveying Tube Style:  |
| Welded corrugated  |
| End Application:   |
| Aircraft: eagle f-15, thunderbolt ii, a-10; engine, aircraft, f-100-pw-100 (f-15a/b/c/d) |
| Connection Style:  |
| Swivel nut flare 2nd end   |
| End Connection Design:   |
| Straight 1st end   |
| Connection Type:   |
| Threaded internal tube 1st end   |
| Features Provided:   |
| Nuts drilled for lockwire  |
| Burst Test Pressure:   |
| 3500.0 pounds per square inch  |
| Layer Composition And Location:  |
| Outer layer braided corrosion resistant steel wire                                       |
| Thread Size:   |
| 0.500 inches 2nd end   |
| Seat Angle:  |
| 37.0 degrees 2nd end   |
| Hydrostatic Test Pressure:   |
| 450.0 pounds per square inch   |
| Flow Angle:  |
| 45.0 degrees 2nd end   |
| Outer Covering Environmental Protection:   |
| Corrosion resistant  |
| Criticality Code Justification:  |
| Feat   |
|  |

# NSN 4720-01-053-0310

Metallic Hose Assembly - Page 2 of 2



## Measuring Method And Length:

12.630 inches working

## **Special Features:**

Weapon system essential

# Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

No

## Fiig:

A542a0