NSN 4720-01-061-1571

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-061-1571

Inside Diameter:
0.313 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.446 inches
Minimum Inside Bending Radius:
4.000 inches
Exterior Color:
Natural
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
9000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
1500.0 pounds per square inch Thread Size:
Thread Size:
Thread Size: 0.562 inches 1st end
Thread Size: 0.562 inches 1st end Seat Angle:
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure:
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure: 3000.0 pounds per square inch
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure: 3000.0 pounds per square inch Outer Covering Environmental Protection:
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure: 3000.0 pounds per square inch Outer Covering Environmental Protection: Corrosion resistant
Thread Size: 0.562 inches 1st end Seat Angle: 37.0 degrees 1st end Hydrostatic Test Pressure: 3000.0 pounds per square inch Outer Covering Environmental Protection: Corrosion resistant Vacuum In Torr:

NSN 4720-01-061-1571

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length: 10.250 inches working Thread Series Designator: Unjf 1st end Specification Data: 96906-ms8000 government standard Shelf Life: N/a Unit Of Measure: - Demilitarization: No

Fiig: A542a0