NSN 4720-01-066-9913

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-066-9913

Outside Diameter:					
0.630 inches					
Minimum Inside Bending Radius:					
2.250 inches					
Inner Conveying Tube Style:					
Annular open-pitch corrugated					
Unable To Decode:					
Unable to decode or unable to decode					
End Application:					
An/alq-119					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
150.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
50.0 pounds per square inch					
Thread Size:					
0.438 inches 1st end					
Seat Angle:					
37.0 degrees 2nd end					
Hydrostatic Test Pressure:					
100.0 pounds per square inch					
Flow Angle:					
45.0 degrees 2nd end					
Vacuum In Torr:					
101.6					
Measuring Method And Length:					
20.690 inches working and 20.810 inches working					

NSN 4720-01-066-9913

Metallic Hose Assembly - Page 2 of 2



TL		Carias	Daalas	4
111	reau	Series	Design	iatoi.

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0