

View Online at <https://aerobasegroup.com/nsn/4720-01-067-8234>

Cross Sectional Shape:

Round

Inside Diameter:

3.000 inches

Temperature Rating:

1500.0 degrees fahrenheit single response

Bolt Circle Diameter:

6.000 inches 1st end

Flange Thickness:

0.957 inches 1st end

Outside Diameter:

3.594 inches

Minimum Inside Bending Radius:

7.250 inches

Inner Conveying Tube Style:

Annular close-pitch corrugated

Exterior Color:

Natural

Bolt Hole Quantity:

4 1st end

Flange Outside Diameter:

7.500 inches 1st end

Connection Style:

Raised 1st end

Bolt Hole Diameter:

0.765 inches 1st end

Raised Face Height:

0.062 inches 1st end

Raised Face Diameter:

5.000 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 1st end

Features Provided:

Identical ends

Burst Test Pressure:

665.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

165.0 pounds per square inch

Hydrostatic Test Pressure:

250.0 pounds per square inch

Outer Covering Environmental Protection:

Corrosion resistant

Vacuum In Torr:

12700.0

Measuring Method And Length:

48.000 inches

Flange Style:

Round w/ bolt holes 1st end

Special Features:

Assembly has a 90.0 degrees elbow w/one 30.000 in. Leg and one 18.000 in. Leg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0