Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-067-9719

Cross	Sectional	Shape:
_		

Round

**Thread Class:** 

2b 1st end

# Thread Direction:

Right-hand 1st end

## Inside Diameter:

0.375 inches

#### **Tempurature Rating:**

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

#### **Outside Diameter:**

0.610 inches

#### Minimum Inside Bending Radius:

3.000 inches

#### **Exterior Color:**

Black

#### **Connection Style:**

Swivel nut flare 1st end

### **End Connection Design:**

Straight 1st end

## Connection Type:

Threaded internal tube 1st end

### **Features Provided:**

Perforated outer cover and reusable end fittings

### **Burst Test Pressure:**

1000.0 pounds per square inch

### Layer Composition And Location:

1st layer braided fabric and outer layer molded rubber, synthetic

### Maximum Operating Pressure:

250.0 pounds per square inch

#### **Thread Size:**

0.562 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

### Inside Surface Condition:

Smooth

### Measuring Method And Length:

20.625 inches

## Media For Which Designed:

Air and fuel/oil, hydrocarbon and water single response

# **Thread Series Designator:**

Unf 1st end

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

