Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-071-2867

Cross Section	al Shape:
Round	
Thread Directi	on:
Right-hand 1st	end
Inside Diamete	r:
0.188 inches	
Tempurature F	ating:
-40.0 degrees f	ahrenheit and 275.0 degrees fahrenheit single response
Outside Diame	ter:
0.500 inches	
Connection St	/le:
Inverted flare 1	st end
End Connectio	n Design:
Straight 1st end	
Connection Ty	pe:
Threaded exter	nal pipe 1st end
Burst Test Pre	ssure:
6000.0 pounds	per square inch
Layer Compos	ition And Location:
1st layer braide	d steel wire and 2nd layer braided cotton cord and outer layer molded rubber, buna-n
Maximum Ope	rating Pressure:
1500.0 pounds	per square inch
Thread Size:	
0.125 inches 1	t end
Seat Angle:	
30.0 degrees 1	at end
Hydrostatic Te	st Pressure:
3000.0 pounds	per square inch
Inside Surface	Condition:
Smooth	
Measuring Me	hod And Length:
16.000 inches	
Thread Series	Designator:
Nptf 1st end	
Shelf Life:	
N/a	
Unit Of Measu	'e:
Demilitarizatio	n:
No	
Fiig:	
A542a0	