NSN 4720-01-071-2871

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-071-2871

Cross	Sectional	Shape:
-------	-----------	--------

Round

Inside Diameter:

2.000 inches

Tempurature Rating:

-32.0 degrees celsius single response and 52.0 degrees celsius single response

Outside Diameter:

2.656 inches

Exterior Color:

Black

Hose Or Tubing Specification/std Data:

Mil-h-370 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

First End Fitting Specification/std Data:

Ms27025-11 standard (includes industry or association standards, individual manufactureer standards, etc.).

Second End Fitting Specification/std Data:

Ms27021-11 standard (includes industry or association standards, individual manufactureer standards, etc.).

Quick Disconnect Size:

2.000 inches 2nd end

Connection Style:

Cam or lever (external) 2nd end

End Connection Design:

Straight 2nd end

End Fitting Component And Material:

Complete fitting aluminum alloy all ends

Connection Type:

Internal quick disconnect 1st end

Features Provided:

Electrostatic discharge capability and reusable end fittings

Second End Relationship With First End:

Not identical

Burst Test Pressure:

400.0 pounds per square inch

First End Swivel Action Capability:

Not included

Layer Composition And Location:

1st layer rubber impregnated braided cotton cord err-100

Unable To Decode:

Unable to decode or unable to decode

Maximum Operating Pressure:

125.0 pounds per square inch

Unable To Decode:

Unable to decode or unable to decode

NSN 4720-01-071-2871

Nonmetallic Hose Assembly - Page 2 of 2



Outer Covering Environmental Protection: Fuel resistant and oil resistant and mildew resistant and ozone resistant **Inside Surface Condition:** Smooth **Measuring Method And Length:** 10.300 inches excluding end fittings **Second End Swivel Action Capability:** Not included **Special Features:** Inner conveying tube material-rubber, synthetic Media For Which Designed: Fuel/oil, hydrocarbon single response **Specification Or Standard:** 2 type Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A542a0

Mil-std (military Standard):

Mil-h-370 spec.