NSN 4720-01-072-9565



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-072-9565 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.375 inches **Tempurature Rating:** -75.0 degrees fahrenheit and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.670 inches **Minimum Inside Bending Radius:** 4.000 inches **Exterior Color:** Black or orange **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Electrostatic discharge capability **Burst Test Pressure:** 9000.0 pounds per square inch **Layer Composition And Location:** 1st layer woven polyester fiber cord and 2nd layer woven polyester fiber cord and outer layer molded plastic **Maximum Operating Pressure:** 2250.0 pounds per square inch **Thread Size:** 0.875 inches 1st end Seat Angle: 37.0 degrees 2nd end **Outer Covering Environmental Protection:** Heat resistant and hydraulic solution resistant and weatherproof **Inside Surface Condition:**

Smooth

Measuring Method And Length:

8.000 inches

Thread Series Designator:

Unf 2nd end

NSN 4720-01-072-9565

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0