## NSN 4720-01-078-4812



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-078-4812 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response **Outside Diameter:** 0.412 inches **Minimum Inside Bending Radius:** 2.000 inches **Exterior Color:** Red **Connection Style:** Swivel nut, inverted flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 2000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided rayon cord and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 500.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 12.0 degrees 2nd end **Hydrostatic Test Pressure:** 1000.0 pounds per square inch Flow Angle: 45.0 degrees 2nd end **Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

36.000 inches working

Media For Which Designed:

Refrigerant 12 single response

## NSN 4720-01-078-4812

Nonmetallic Hose Assembly - Page 2 of 2



Unf 2nd end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0