NSN 4720-01-080-3899

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-080-3899 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** Between 0.180 inches and 0.211 inches **Tempurature Rating:** -67.0 degrees fahrenheit single response **Outside Diameter:** Between 0.469 inches and 0.531 inches **End Application:** 2350-01-031-8851 **Connection Style:** Swivel, plain 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external pipe 1st end **Burst Test Pressure:** 1500.0 pounds per square inch **Maximum Operating Pressure:** 375.0 pounds per square inch **Thread Size:** 0.125 inches 1st end **Hydrostatic Test Pressure:** 1750.0 pounds per square inch **Measuring Method And Length:** 37.750 inches and 38.250 inches **Special Features:** Layer and composition and location bbutadiene acrylonitrile 2nd layer braided steel wire npolymerized chloroprene Media For Which Designed: Hydraulic fluid single response **Thread Series Designator:** Npt 1st end Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

Fiig:

A542a0

NSN 4720-01-080-3899

Nonmetallic Hose Assembly - Page 2 of 2



Mil-std (military Standard):

Mil-dtl-13531 spec.