

View Online at <https://aerobasegroup.com/nsn/4720-01-088-9386>

Cross Sectional Shape:

Round

Inside Diameter:

1.500 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

Bolt Circle Diameter:

3.938 inches 1st end

Flange Thickness:

0.580 inches 1st end

Outside Diameter:

1.800 inches

Minimum Inside Bending Radius:

7.500 inches

Exterior Color:

Natural

Angle Between Rigid Elbow Fittings In Deg:

0.0

Bolt Hole Quantity:

6 1st end

Flange Outside Diameter:

5.063 inches 1st end

Connection Style:

Plain swivel 1st end

Bolt Hole Diameter:

0.552 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Straight 1st end

Connection Type:

Plain face flange 1st end

Features Provided:

Internal support

Burst Test Pressure:

3000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

750.0 pounds per square inch

Hydrostatic Test Pressure:

1500.0 pounds per square inch

Outer Covering Environmental Protection:

Corrosion resistant

Vacuum In Torr:

457.0

Inside Surface Condition:

Convuluted

Measuring Method And Length:

37.250 inches working

Flange Style:

Round w/ bolt holes 1st end

Special Features:

Two hose assembly connected by 90 degrees elbow. 1st and 2nd leg lg identical 18.500 in. Nom lg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0