

View Online at <https://aerobasegroup.com/nsn/4720-01-088-9386>

**Cross Sectional Shape:**

Round

**Inside Diameter:**

1.500 inches

**Temperature Rating:**

-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

**Bolt Circle Diameter:**

3.938 inches 1st end

**Flange Thickness:**

0.580 inches 1st end

**Outside Diameter:**

1.800 inches

**Minimum Inside Bending Radius:**

7.500 inches

**Exterior Color:**

Natural

**Angle Between Rigid Elbow Fittings In Deg:**

0.0

**Bolt Hole Quantity:**

6 1st end

**Flange Outside Diameter:**

5.063 inches 1st end

**Connection Style:**

Plain swivel 1st end

**Bolt Hole Diameter:**

0.552 inches 1st end

**End Flange Construction:**

Solid 1st end

**End Connection Design:**

Straight 1st end

**Connection Type:**

Plain face flange 1st end

**Features Provided:**

Internal support

**Burst Test Pressure:**

3000.0 pounds per square inch

**Layer Composition And Location:**

Outer layer braided corrosion resistant steel wire

**Maximum Operating Pressure:**

750.0 pounds per square inch

**Hydrostatic Test Pressure:**

1500.0 pounds per square inch

**Outer Covering Environmental Protection:**

Corrosion resistant

**Vacuum In Torr:**

457.0

**Inside Surface Condition:**

Convuluted

**Measuring Method And Length:**

37.250 inches working

**Flange Style:**

Round w/ bolt holes 1st end

**Special Features:**

Two hose assembly connected by 90 degrees elbow. 1st and 2nd leg lg identical 18.500 in. Nom lg

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0