NSN 4720-01-095-4146

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-095-4146

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
10.4 millimeters
Tempurature Rating:
-54.0 degrees celsius single response and 232.0 degrees celsius single response
Outside Diameter:
14.2 millimeters
Minimum Inside Bending Radius:
117.3 millimeters
Exterior Color:
Natural
Connection Style:
Plain 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded external tube 2nd end
Burst Test Pressure:
6000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
18.0 millimeters 2nd end
Hydrostatic Test Pressure:
3000.0 pounds per square inch
Flow Angle:
45.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
537.00 millimeters working
Thread Series Designator:
Iso m 2nd end
Shelf Life:
N/a
Unit Of Measure:

--

NSN 4720-01-095-4146

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0