NSN 4720-01-096-2005

Nonmetallic Hose Assembly - Page 1 of 2



-
View Online at https://aerobasegroup.com/nsn/4720-01-096-2005
Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 250.0 degrees fahrenheit single response
Outside Diameter:
0.750 inches
Minimum Inside Bending Radius:
1.750 inches
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting zinc 1st end
Connection Type:
Threaded external pipe 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
1800.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, chloroprene err-100
Maximum Operating Pressure:
450.0 pounds per square inch
Thread Size:
0.375 inches 1st end

Hydrostatic Test Pressure:

900.0 pounds per square inch

Outer Covering Environmental Protection:

Oil resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

48.000 inches

Special Features:

Inner conveying tube material-rubber

NSN 4720-01-096-2005

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designed:
Air single response
Thread Series Designator:
Nptf 1st end
Shelf Life:
N1/-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0