

View Online at <https://aerobasegroup.com/nsn/4720-01-097-8353>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

4.8 millimeters

Temperature Rating:

-297.0 degrees fahrenheit single response and 260.0 degrees fahrenheit single response

Outside Diameter:

8.1 millimeters

Minimum Inside Bending Radius:

50.8 millimeters

Exterior Color:

Natural

Connection Style:

Swivel nut with loose or integral clinch sleeve 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

6000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

1500.0 pounds per square inch

Thread Size:

10.0 millimeters 1st end

Seat Angle:

12.0 degrees 1st end

Hydrostatic Test Pressure:

3000.0 pounds per square inch

Inside Surface Condition:

Smooth

Measuring Method And Length:

2170.00 millimeters working

Special Features:

With bilingual usage and direction of flow arrows labels attached

Thread Series Designator:

Iso m 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0