

View Online at <https://aerobasegroup.com/nsn/4720-01-098-9339>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

10.4 millimeters

Temperature Rating:

-34.0 degrees celsius single response and 71.0 degrees celsius single response

Outside Diameter:

14.2 millimeters

Minimum Inside Bending Radius:

117.3 millimeters

Exterior Color:

Natural

Quick Disconnect Size:

12.7 millimeters 2nd end

Connection Style:

Swivel nut, flareless 1st end

End Connection Design:

Straight 2nd end

Connection Type:

Threaded internal tube 1st end

Features Provided:

Self-sealing

Burst Test Pressure:

150.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

50.0 pounds per square inch

Thread Size:

18.0 millimeters 1st end

Seat Angle:

37.0 degrees 1st end

Hydrostatic Test Pressure:

100.0 pounds per square inch

Flow Angle:

90.0 degrees 1st end

Vacuum In Torr:

50.8

Inside Surface Condition:

Smooth

Measuring Method And Length:

556.41 millimeters working

Thread Series Designator:

Iso m 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0