NSN 4720-01-099-4748

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-099-4748

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
10.4 millimeters
Tempurature Rating:
-54.0 degrees celsius single response and 71.0 degrees celsius single response
Outside Diameter:
14.2 millimeters
Minimum Inside Bending Radius:
117.3 millimeters
Exterior Color:
Natural
Quick Disconnect Size:
35.1 millimeters 2nd end
Connection Style:
Swivel nut, flareless 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
150.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
50.0 pounds per square inch
Thread Size:
18.0 millimeters 1st end
Seat Angle:
12.0 degrees 1st end
Hydrostatic Test Pressure:
100.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
266.43 millimeters working
Thread Series Designator:
Iso m 1st end

N/a

Shelf Life:

NSN 4720-01-099-4748

Nonmetallic Hose Assembly - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A542a0