## NSN 4720-01-106-0317

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-106-0317 **Cross Sectional Shape:** Round **Thread Class:** 2a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response **Exterior Color:** Black **Connection Style:** Inverted flare 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external tube 2nd end Thready Qty Per Inch (tpi): 24 2nd end **Burst Test Pressure:** 3000.0 pounds per square inch **Layer Composition And Location:** 1st layer rubber impregnated braided fabric and 2nd layer rubber impregnated braided fabric and outer layer molded rubber **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 

0.438 inches 1st end

Seat Angle:

45.0 degrees 2nd end

Flow Angle:

90.0 degrees 2nd end

## **Outer Covering Environmental Protection:**

Cold resistant and ozone resistant

**Inside Surface Condition:** 

Smooth

**Measuring Method And Length:** 

86.000 inches working

Media For Which Designed:

Hydraulic fluid single response

**Thread Series Designator:** 

Uns 2nd end

## NSN 4720-01-106-0317

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0