## NSN 4720-01-114-6943

**Cross Sectional Shape:** 

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-114-6943

Round
Thread Class:
2b 1st end
Thread Direction:
Right-hand 1st end
Outside Diameter:
0.670 inches
Exterior Color:
Red
Angle Between Rigid Elbow Fittings In Deg:
180.0
Connection Style:
Swivel nut with compression sleeve 1st end
End Connection Design:
Elbow 1st end
End Fitting Component And Material:
Complete fitting stainless steel all ends
Connection Type:
Threaded internal tube 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
800.0 pounds per square inch
First End Swivel Action Capability:
Included
Layer Composition And Location:
Outer layer molded rubber, synthetic
Maximum Operating Pressure:
200.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Seat Angle:
12.0 degrees 1st end
Hydrostatic Test Pressure:
400.0 pounds per square inch
Flow Angle:
90.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
5.562 inches working

## NSN 4720-01-114-6943

Nonmetallic Hose Assembly - Page 2 of 2



Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a
Unit Of Measure:

No

Fiig:

A542a0

Demilitarization: