NSN 4720-01-114-7120

Cross Sectional Shape:

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches

Tempurature Rating:

Outside Diameter:

0.480 inches

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-114-7120

-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response

Minimum Inside Bending Radius:
3.000 inches
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting copper alloy all ends
Connection Type:
Threaded external pipe 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
1000.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, synthetic err-100
Maximum Operating Pressure:
250.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
162.000 inches working
Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Fuel/oil, hydrocarbon single response and water, salt single response
Thread Series Designator:
Nptf 1st end

NSN 4720-01-114-7120

Nonmetallic Hose Assembly - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0