NSN 4720-01-118-5812

Cross Sectional Shape:

Round

Thread Class:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-118-5812

Sa 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.625 inches
Tempurature Rating:
-62.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response
Outside Diameter:
0.789 inches
Minimum Inside Bending Radius:
6.500 inches
Quick Disconnect Size:
1.000 inches 2nd end
Connection Style:
Push (internal) 2nd end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded external boss 1st end
Thready Qty Per Inch (tpi):
12 1st end
Burst Test Pressure:
6000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1000.0 pounds per square inch
Thread Size:
1.062 inches 1st end
Hydrostatic Test Pressure:
2500.0 pounds per square inch
Flow Angle:
25.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
25.000 inches
Thread Series Designator:
Un 1st end

NSN 4720-01-118-5812

Nonmetallic Hose Assembly - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_1	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0