## NSN 4720-01-119-9469

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-119-9469

Cross Sectional Shape.
Cross Sectional Shape:
Round The set Dissetting
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.460 inches
Minimum Inside Bending Radius:
2.500 inches
Exterior Color:
Orange
Connection Style:
Swivel nut with loose or integral clinch sleeve 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Threaded internal tube 1st end
Burst Test Pressure:
7500.0 pounds per square inch
Layer Composition And Location:
1st layer braided polyester cord and outer layer molded polyurethane
Maximum Operating Pressure:
1875.0 pounds per square inch
Thread Size:
0.250 inches 2nd end
Seat Angle:
37.0 degrees 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
19.000 inches working
Special Features:
Tiedown strap on 1st end
Thread Series Designator:
Npt 2nd end
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 4720-01-119-9469

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0