## NSN 4720-01-122-6706

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-122-6706 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Tempurature Rating:** -65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response Minimum Inside Bending Radius: 3.000 inches **Connection Style:** Swivel nut, flareless 2nd end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 12000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 24.0 degrees 2nd end **Hydrostatic Test Pressure:** 6000.0 pounds per square inch Flow Angle: 45.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 9.250 inches working **Thread Series Designator:** Unf 2nd end Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 4720-01-122-6706

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0