## NSN 4720-01-123-5009

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-123-5009 **Cross Sectional Shape:** Round **Thread Class:** 3a 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.875 inches **Outside Diameter:** 1.109 inches **Minimum Inside Bending Radius:** 7.375 inches **Connection Style:** Flareless 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 12000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided corrosion resistant steel wire and outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 1.312 inches 1st end Seat Angle: 24.0 degrees 1st end **Inside Surface Condition: Measuring Method And Length:** 19.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Unj 1st end Shelf Life: N/a

**Unit Of Measure:** 

## NSN 4720-01-123-5009

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0