

NSN 4720-01-128-2285 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-128-2285 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:**

Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -100.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.312 inches **Minimum Inside Bending Radius:** 2.000 inches **End Application:**

Aircraft, hornet f/a-18 **Connection Style:**

Swivel nut flare 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Burst Test Pressure:

12000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

Maximum Operating Pressure:

1500.0 pounds per square inch

Thread Size:

0.500 inches 1st end

Seat Angle:

37.0 degrees 2nd end

Flow Angle:

45.0 degrees 2nd end

Criticality Code Justification:

Feat

Inside Surface Condition:

Smooth

Measuring Method And Length:

19.000 inches working

Special Features:

Weapon system essential

NSN 4720-01-128-2285

Nonmetallic Hose Assembly - Page 2 of 2



				_			
Ιh	roa	ď	Serie	26 I J	Dein	ın ətr	٦r٠

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0