Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-128-9109

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.188 inches

#### **Tempurature Rating:**

-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response

#### **Outside Diameter:**

0.312 inches

Minimum Inside Bending Radius:

2.000 inches

**Exterior Color:** 

Natural

# **Connection Style:**

Swivel nut flare 1st end

#### **End Connection Design:**

Straight 1st end

Connection Type:

Threaded internal tube 1st end

# **Burst Test Pressure:**

12000.0 pounds per square inch

# Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

# Maximum Operating Pressure:

1500.0 pounds per square inch

#### **Thread Size:**

0.438 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

#### Hydrostatic Test Pressure:

3000.0 pounds per square inch

#### **Outer Covering Environmental Protection:**

Corrosion resistant

# Inside Surface Condition:

Smooth

# Measuring Method And Length:

6.000 inches working

# **Thread Series Designator:**

Unf 1st end

# NSN 4720-01-128-9109

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

