NSN 4720-01-133-5953



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-133-5953 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.313 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.469 inches **Minimum Inside Bending Radius:** 4.000 inches **Exterior Color:** Natural Angle Between Rigid Elbow Fittings In Deg: 90.0 **Connection Style:** Swivel nut, flareless 2nd end **End Connection Design:** Elbow 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 6000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided steel wire **Maximum Operating Pressure:** 1500.0 pounds per square inch **Thread Size:** 0.562 inches 2nd end Seat Angle: 12.0 degrees 2nd end **Hydrostatic Test Pressure:** 3000.0 pounds per square inch Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:**

Smooth

Measuring Method And Length:

16.800 inches

NSN 4720-01-133-5953

Nonmetallic Hose Assembly - Page 2 of 2



Supplementary Features:

This item has been reviewed for asbestos material. The current approved sourcees (rnvc 2) have indicated their part numbers contained asbestos. They continue to manufacture the same part number without asbestos material

Thread	Series	Designator:
--------	--------	--------------------

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0