Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-134-6998

~	
	oss Sectional Shape:
	und
	read Class:
	1st end
Th	read Direction:
Rig	ht-hand 1st end
Ins	ide Diameter:
0.1	88 inches
Ter	mpurature Rating:
-67	.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Ou	tside Diameter:
0.3	12 inches
Mir	nimum Inside Bending Radius:
2.0	00 inches
En	d Application:
F-4	c/d/e and rf-4c phantom aircraft
Со	nnection Style:
Fla	red 2nd end
Ene	d Connection Design:
Stra	aight 1st end
Со	nnection Type:
Thr	eaded external tube 2nd end
Bu	rst Test Pressure:
700	00.0 pounds per square inch
Ma	ximum Operating Pressure:
150	00.0 pounds per square inch
Th	read Size:
0.3	75 inches 1st end
Sea	at Angle:
45.	0 degrees 2nd end
Ну	drostatic Test Pressure:
300	00.0 pounds per square inch
Flo	w Angle:
45.	0 degrees 2nd end
Ins	ide Surface Condition:
Sm	looth
Me	asuring Method And Length:
5.2	50 inches working
Thr	read Series Designator:
	if 1st end
She	elf Life:
N/a	1

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0