NSN 4720-01-135-2954

Cross Sectional Shape:

Inside Surface Condition:

Smooth

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-135-2954

| Inside Diameter: |
|---|
| 0.406 inches |
| Tempurature Rating: |
| -65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.585 inches |
| Minimum Inside Bending Radius: |
| 4.620 inches |
| Exterior Color: |
| Natural |
| Angle Between Rigid Elbow Fittings In Deg: |
| 90.0 |
| Connection Style: |
| Swivel nut, flareless 1st end |
| End Connection Design: |
| Elbow 1st end |
| Connection Type: |
| Threaded internal tube 1st end |
| Burst Test Pressure: |
| 6000.0 pounds per square inch |
| Layer Composition And Location: |
| Outer layer braided corrosion resistant steel wire |
| Maximum Operating Pressure: |
| 1500.0 pounds per square inch |
| Thread Size: |
| 0.750 inches 1st end |
| Seat Angle: |
| 12.0 degrees 1st end |
| Hydrostatic Test Pressure: |
| 3000.0 pounds per square inch |
| Flow Angle: |
| 90.0 degrees 1st end |
| Outer Covering Environmental Protection: |
| Corrosion resistant |

NSN 4720-01-135-2954

Nonmetallic Hose Assembly - Page 2 of 2



| Measuring | Method | And | Length: |
|-----------|--------|-----|---------|
|-----------|--------|-----|---------|

26.000 inches working

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A542a0