

NSN 4720-01-139-5480 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-139-5480 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.188 inches **Tempurature Rating:** -40.0 degrees fahrenheit single response and 250.0 degrees fahrenheit single response **Outside Diameter:** 0.312 inches **Minimum Inside Bending Radius:** 2.000 inches **Exterior Color:** Natural **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Elbow 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 8000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 2000.0 pounds per square inch

**Thread Size:** 

0.438 inches 1st end

Seat Angle:

37.0 degrees 2nd end

**Hydrostatic Test Pressure:** 

4000.0 pounds per square inch

Flow Angle:

90.0 degrees 2nd end

**Outer Covering Environmental Protection:** 

Corrosion resistant

Vacuum In Torr:

50.8

**Inside Surface Condition:** 

Smooth

## NSN 4720-01-139-5480

Nonmetallic Hose Assembly - Page 2 of 2



Measuring	Method	And	Length:

66.000 inches working

**Thread Series Designator:** 

Unf 2nd end

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

Yes - demil/mli

Fiig:

A542a0