NSN 4720-01-141-4134

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-141-4134

Cross Sectional Shape:
Round
Inside Diameter:
1.375 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response
Flange Thickness:
0.359 inches 1st end
Outside Diameter:
1.695 inches
Minimum Inside Bending Radius:
11.000 inches
Exterior Color:
Black
Center To Center Distance Between Bolt Holes Along Width:
1.812 inches 1st end
Center To Center Distance Between Bolt Holes Along Length:
1.938 inches 1st end
Bolt Hole Quantity:
4 1st end
Flange Length:
2.375 inches 1st end
Flange Width:
2.375 inches 1st end
Connection Style:
Plain 1st end
Bolt Hole Diameter:
0.266 inches 1st end
End Flange Construction:
Solid 1st end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 1st end
Burst Test Pressure:
720.0 pounds per square inch
Layer Composition And Location:
1st layer braided cotton cord and 2nd layer braided steel wire and outer layer rubber impregnated braided cotton cord
Maximum Operating Pressure:
120.0 pounds per square inch
Hydrostatic Test Pressure:
240.0 pounds per square inch

NSN 4720-01-141-4134

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:
Smooth
Measuring Method And Length:
20.160 inches
Flange Style:
Rectangular (includes square) 1st end
Media For Which Designed:
Fuel/oil, hydrocarbon and water single response
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A542a0