

View Online at <https://aerobasegroup.com/nsn/4720-01-145-7641>

Cross Sectional Shape:

Round

Inside Diameter:

2.000 inches

Tempurature Rating:

800.0 degrees fahrenheit single response

Bolt Circle Diameter:

5.000 inches 1st end

Flange Thickness:

1.000 inches 1st end

Outside Diameter:

2.970 inches

Minimum Inside Bending Radius:

15.000 inches

Inner Conveying Tube Style:

Annular close-pitch corrugated

Bolt Hole Quantity:

8 1st end

Flange Outside Diameter:

6.500 inches 1st end

Connection Style:

Raised 1st end

Bolt Hole Diameter:

0.750 inches 1st end

Raised Face Height:

0.250 inches 1st end

Raised Face Diameter:

3.625 inches 1st end

End Flange Construction:

Solid 1st end

End Connection Design:

Straight 1st end

Connection Type:

Raised face flange 1st end

Features Provided:

Identical ends

Burst Test Pressure:

1135.0 pounds per square inch

Layer Composition And Location:

Outer layer braided nickel copper alloy wire err-100

Maximum Operating Pressure:

280.0 pounds per square inch

Hydrostatic Test Pressure:

420.0 pounds per square inch

Measuring Method And Length:

42.000 inches working

Flange Style:

Round w/ bolt holes 1st end

Special Features:

90 degrees elbow in center hose

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0