

View Online at <https://aerobasegroup.com/nsn/4720-01-145-9521>

Cross Sectional Shape:

Round

Thread Class:

3b 1st end

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.250 inches

Temperature Rating:

-67.0 degrees fahrenheit single response and 158.0 degrees fahrenheit single response

Outside Diameter:

0.500 inches

Minimum Inside Bending Radius:

4.000 inches

Connection Style:

Swivel nut flare 1st end

End Connection Design:

Straight 1st end

Connection Type:

Threaded internal tube 1st end

Features Provided:

Reusable end fittings

Burst Test Pressure:

1250.0 pounds per square inch

Maximum Operating Pressure:

200.0 pounds per square inch

Thread Size:

0.438 inches 1st end

Seat Angle:

37.0 degrees 1st end

Hydrostatic Test Pressure:

400.0 pounds per square inch

Outer Covering Environmental Protection:

Abrasion resistant and fuel resistant and oil resistant

Vacuum In Torr:

254.0

Inside Surface Condition:

Smooth

Measuring Method And Length:

300.000 inches working

Special Features:

Additional parts are 3 marker tapes; 1 coupling p/n 74d412c14-2001; 1 plug p/n an814-4jl; 1 cap assembly p/n an929a4; 1 coupling p/n st7m478s4; 1 plug p/n 7m675-4; 6 sleeves p/n 9m306-6; 1 lanyard p/n 9m59-3-50p12; 1 lanyard p/n 9m59-3-60p12; 1 lanyard p/n 9m59-3-90p12

Media For Which Designed:

Air single response

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0