Nonmetallic Hose Assembly - Page 1 of 2



AeroBase

Group

View Online at https://aerobasegroup.com/nsn/4720-01-154-9197

| Cross Sectional Shape: |
|---|
| Round |
| Thread Direction: |
| Right-hand 1st end |
| Inside Diameter: |
| 2.500 inches |
| Connection Style: |
| Swivel nut, gasket seal 1st end |
| End Connection Design: |
| Straight 1st end |
| End Fitting Component And Material: |
| Complete fitting copper alloy all ends |
| Connection Type: |
| Threaded internal hose 1st end |
| Thready Qty Per Inch (tpi): |
| 7-1/2 1st end |
| Second End Relationship With First End: |
| Identical |
| First End Swivel Action Capability: |
| Not included |
| Layer Composition And Location: |
| Outer layer woven cotton with interwoven steel wire |
| Thread Size: |
| 2.500 inches 1st end |
| Hydrostatic Test Pressure: |
| 100.0 pounds per square inch |
| Outer Covering Environmental Protection: |
| Oil resistant and ozone resistant |
| Inside Surface Condition: |
| Smooth |
| Measuring Method And Length: |
| 260.000 inches excluding end fittings |
| Special Features: |
| Inner conveying tube material-rubber, synthetic |
| Media For Which Designed: |
| Water single response |
| Thread Series Designator: |
| Nh 1st end |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

