NSN 4720-01-170-7059

Cross Sectional Shape:

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-170-7059

Thread Class:			
3b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.313 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.466 inches			
Minimum Inside Bending Radius:			
4.000 inches			
Angle Between Rigid Elbow Fittings In Deg:			
180.0			
Connection Style:			
Swivel nut, flareless 1st end			
End Connection Design:			
Elbow 1st end			
Connection Type:			
Threaded internal tube 1st end			
Features Provided:			
Reusable end fittings			
Burst Test Pressure:			
9000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.562 inches 1st end			
Seat Angle:			
12.0 degrees 1st end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Flow Angle:			
90.0 degrees 1st end			
Vacuum In Torr:			
28.0			
Inside Surface Condition:			
Smooth			

NSN 4720-01-170-7059

Nonmetallic Hose Assembly - Page 2 of 2



Measuring I	Method A	۱nd	Length:
-------------	----------	-----	---------

21.500 inches

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0