NSN 4720-01-171-4314

Nonmetallic Hose Assembly - Page 1 of 2



| view Online at https://aerobasegroup.com/hsh/4720-01-171-4314 |
|--|
| Cross Sectional Shape: |
| Round |
| Inside Diameter: |
| 1.000 inches |
| Tempurature Rating: |
| -40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response |
| Flange Thickness: |
| 0.315 inches 2nd end |
| Outside Diameter: |
| 1.563 inches |
| Minimum Inside Bending Radius: |
| 11.000 inches |
| Exterior Color: |
| Black |
| Hose Or Tubing Specification/std Data: |
| Sae j517, 100r9, type a-81343 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| First End Fitting Specification/std Data: |
| Sae j518c, table 1a-81343 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Second End Fitting Specification/std Data: |
| Sae j518c, table 1a-81343 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Flange Outside Diameter: |
| 1.750 inches 1st end |
| Connection Style: |
| Plain swivel w/ gasket groove 2nd end |
| End Flange Construction: |
| Solid 2nd end |
| End Connection Design: |
| Straight 1st end |
| End Fitting Component And Material: |
| Complete fitting steel all ends |
| Connection Type: |
| Plain face flange 2nd end |
| Features Provided: |
| Reusable end fittings |
| Second End Relationship With First End: |
| Not identical |
| Burst Test Pressure: |
| 12000.0 pounds per square inch |
| First End Swivel Action Capability: |

Not included

Layer Composition And Location:

1st layer spirally laid steel wire err-100

NSN 4720-01-171-4314

Nonmetallic Hose Assembly - Page 2 of 2



| Maximum Operating Pressure: |
|--|
| 3000.0 pounds per square inch |
| Hydrostatic Test Pressure: |
| 6000.0 pounds per square inch |
| Flow Angle: |
| 22.5 degrees 2nd end |
| Outer Covering Environmental Protection: |
| Oil resistant and weatherproof |
| Inside Surface Condition: |
| Smooth |
| Measuring Method And Length: |
| 67.000 inches working |
| Second End Swivel Action Capability: |
| Not included |
| Flange Style: |
| Round w/ out bolt holes 2nd end |
| Special Features: |
| Inner conveying tube material-rubber, synthetic |
| Media For Which Designed: |
| Air single response and alcohol, ethyl single response and alcohol, methyl single response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A542a0 |
| |