# NSN 4720-01-173-4140



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-173-4140 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.750 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** Between 1.203 inches and 1.266 inches **Minimum Inside Bending Radius:** 9.500 inches **Exterior Color:** Black **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Features Provided:** Reusable end fittings **Burst Test Pressure:** 12000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided corrosion resistant steel wire and 2nd layer braided corrosion resistant steel wire and outer layer molded rubber, synthetic

#### **Maximum Operating Pressure:**

3000.0 pounds per square inch

#### **Thread Size:**

1.062 inches 1st end

### Seat Angle:

37.0 degrees 1st end

#### **Hydrostatic Test Pressure:**

6000.0 pounds per square inch

## **Outer Covering Environmental Protection:**

Oil resistant and weatherproof

#### **Inside Surface Condition:**

Smooth

#### **Measuring Method And Length:**

60.000 inches

# NSN 4720-01-173-4140

Nonmetallic Hose Assembly - Page 2 of 2



М	edia	For	Whic	h D	esian	ed

Fuel/oil, hydrocarbon single response

**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0