

View Online at <https://aerobasegroup.com/nsn/4720-01-178-0965>

Cross Sectional Shape:

Round

Wall Thickness:

0.250 inches

Endlength:

1.562 inches first end

Connection Type:

Coupling second end

Features Provided:

Ozone resistant

Measuring Method And Length:

84.000 inches

Coupling Style:

Oxygen hose clamp second end

Special Features:

Flammable compressed air; first end inside dia.: 0.963 in. Min., 0.973 in. Max.; end similarity: not identical; second end inside dia.: 0.938 in. Min., 1.250 in. Max.; inside dia.: 0.750 in. Min., 1.250 in. Max.; hose style: helically wound continuous wire supported, style no. 4 from old fiig a22900; scuff strip: not included; hose material: tetrafluoroethylene plastic and steel wire and tetrafluoroethylene plastic; communication cable and restraint cord: not included; second end coupling surface treatment: any acceptable

Material:

Steel 2nd end coupling

Material Specification:

Qq-b-626, comp 22, 1/2h federal specification single material response 1st end coupling

Surface Treatment:

Cadmium 1st end coupling or zinc 1st end coupling

Surface Treatment Specification:

Qq-p-416, type 1, class 1 federal specification 1st treatment response 1st end coupling or qq-z-325, type 1, class 2 federal specification 2nd treatment response 1st end coupling

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A229a0