Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-178-9672

Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.380 inches	
Tempurature Rating:	
-50.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response	
Outside Diameter:	
0.750 inches	
Minimum Inside Bending Radius:	
2.500 inches	
Exterior Color:	
Green	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
End Fitting Component And Material:	
Complete fitting steel comp 304 all ends	
Fitting Component And Surface Treatment:	
Complete fitting passivate 1st end	
Connection Type:	
Threaded internal tube 1st end	
Thready Qty Per Inch (tpi):	
18 1st end	
Second End Relationship With First End:	
Identical	
Burst Test Pressure:	
800.0 pounds per square inch	
First End Swivel Action Capability:	
Included	
Layer Composition And Location:	
1st layer molded rubber, ethylene propylene err-100	
Maximum Operating Pressure:	
200.0 pounds per square inch	
Thread Size:	
0.562 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	

NSN 4720-01-178-9672

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:

Smooth

Measuring Method And Length:

8.380 inches working and 8.620 inches working

Thread Series Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0