Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-183-3546

	Cross Sectional Shape:
	Round
	Thread Class:
	2b 1st end
	Thread Direction:
	Right-hand 1st end
	nside Diameter:
-	0.620 inches
	Tempurature Rating:
-	65.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response
C	Dutside Diameter:
С).865 inches
Ν	/inimum Inside Bending Radius:
1	.500 inches
	Connection Style:
Ν	Nut assembly with gasket 1st end
E	End Connection Design:
S	Straight 1st end
C	Connection Type:
Т	hreaded internal hose 1st end
T	Fhready Qty Per Inch (tpi):
1	4 1st end
E	Burst Test Pressure:
1	400.0 pounds per square inch
L	ayer Composition And Location:
C	Duter layer braided steel wire
N	Naximum Operating Pressure:
3	350.0 pounds per square inch
T	Thread Size:
С	0.875 inches 1st end
h	nside Surface Condition:
5	Smooth
N	leasuring Method And Length:
5	1.058 inches working
T	Thread Series Designator:
ι	Jnf 1st end
S	Shelf Life:
١	l∕a
ι	Jnit Of Measure:
-	-
0	Demilitarization:
٨	ło

NSN 4720-01-183-3546

Nonmetallic Hose Assembly - Page 2 of 2

Fiig: A542a0

