## NSN 4720-01-184-6984



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-184-6984 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.610 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.880 inches **Minimum Inside Bending Radius:** 1.500 inches **Connection Style:** Swivel nut flare 2nd end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 1000.0 pounds per square inch **Layer Composition And Location:** Outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 250.0 pounds per square inch **Thread Size:** 1.062 inches 1st end Seat Angle: 37.0 degrees 2nd end **Hydrostatic Test Pressure:** 500.0 pounds per square inch **Inside Surface Condition:** Convoluted **Measuring Method And Length:** 7.340 inches working **Thread Series Designator:** Unf 2nd end Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 4720-01-184-6984

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0