Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-187-6916

Cross Sectio	nal Shape:
Round	•
Thread Class	
3b 1st end	
Thread Direct	ion:
Right-hand 1st	
Inside Diamet	
0.212 inches	
Tempurature	Rating:
	fahrenheit single response and 400.0 degrees fahrenheit single response
Outside Diam	
0.390 inches	
Minimum Insi	de Bending Radius:
1.500 inches	
Connection S	tyle:
Swivel nut with	n compression sleeve 1st end
End Connecti	on Design:
Straight 1st en	d
Connection T	ype:
Threaded inter	rnal tube 1st end
Burst Test Pr	essure:
12000.0 pound	ds per square inch
Layer Compo	sition And Location:
Outer layer bra	aided steel wire
Maximum Op	erating Pressure:
3000.0 pounds	s per square inch
Thread Size:	
0.437 inches 1	st end
Seat Angle:	
37.0 degrees '	lst end
Hydrostatic T	est Pressure:
6000.0 pounds	s per square inch
Inside Surfac	e Condition:
Smooth	
Measuring Me	ethod And Length:
72.000 inches	
Thread Series	s Designator:
Unjf 1st end	
Shelf Life:	
N/a	
Unit Of Measu	ıre:

## NSN 4720-01-187-6916

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

