Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-189-8593

Round

**Thread Class:** 

3b 1st end

# Thread Direction:

Right-hand 1st end

# Inside Diameter:

0.212 inches

#### **Tempurature Rating:**

-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response

#### **Outside Diameter:**

0.390 inches

Minimum Inside Bending Radius:

1.500 inches

#### **Exterior Color:**

Natural

#### **Connection Style:**

Swivel nut flare 1st end

## End Connection Design:

Straight 1st end

# Connection Type:

Threaded internal tube 1st end

## **Burst Test Pressure:**

16000.0 pounds per square inch

## Layer Composition And Location:

Outer layer braided corrosion resistant steel wire

## Maximum Operating Pressure:

3000.0 pounds per square inch

## Thread Size:

0.438 inches 1st end

#### Seat Angle:

37.0 degrees 1st end

#### Hydrostatic Test Pressure:

6000.0 pounds per square inch

## Outer Covering Environmental Protection:

Fuel resistant and oil resistant and solvent resistant

# Inside Surface Condition:

Smooth

# Measuring Method And Length:

11.375 inches

## **Thread Series Designator:**

Unjf 1st end

# NSN 4720-01-189-8593

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0

