## NSN 4720-01-191-4118

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-191-4118
Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.212 inches
Tempurature Rating:
-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response
Outside Diameter:
0.390 inches
Minimum Inside Bending Radius:
1.500 inches
Exterior Color:
Natural
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability
Burst Test Pressure:
12000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
3000.0 pounds per square inch
Thread Size:
0.438 inches 1st end

Seat Angle:

37.0 degrees 2nd end

**Hydrostatic Test Pressure:** 

6000.0 pounds per square inch

Flow Angle:

45.0 degrees 2nd end

**Outer Covering Environmental Protection:** 

Fuel resistant and heat resistant and oil resistant and solvent resistant

**Inside Surface Condition:** 

Smooth

## NSN 4720-01-191-4118

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
5.750 inches
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A542a0