NSN 4720-01-192-0420

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-192-0420	
Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
1.250 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response	
Outside Diameter:	
1.328 inches	
Exterior Color:	
Natural	
Connection Style:	
Swivel nut, inverted flare 2nd end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Features Provided:	
Nuts drilled for lockwire	
Thready Qty Per Inch (tpi):	
14 2nd end	
Burst Test Pressure:	
5000.0 pounds per square inch	
Layer Composition And Location:	
Outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	
1250.0 pounds per square inch	
Thread Size:	
1.250 inches 2nd end	
Seat Angle:	
8.5 degrees 2nd end	

Flow Angle:

90.0 degrees 2nd end

Inside Surface Condition:

Hydrostatic Test Pressure: 6000.0 pounds per square inch

Smooth

Measuring Method And Length:

22.875 inches working

NSN 4720-01-192-0420

Nonmetallic Hose Assembly - Page 2 of 2



Special	Features:
----------------	-----------

Nuts drilled for lockwire

Thread Series Designator:

Unjs 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0