NSN 4720-01-194-5162

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-194-5162 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end Inside Diameter: 1.500 inches **Tempurature Rating:** 450.0 degrees fahrenheit single response **Outside Diameter:** 2.062 inches **Connection Style:** Plain optional end 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal pipe 1st end **Burst Test Pressure:** 2500.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and 2nd layer molded rubber and 3rd layer braided steel wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 250.0 pounds per square inch **Thread Size:** 1.500 inches 2nd end **Hydrostatic Test Pressure:** 1250.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 600.000 inches excluding end fittings **Special Features:** Stainless steel liner, 1.250 id, 0.013 thk Media For Which Designed: Steam single response **Thread Series Designator:** Npt 1st end **Specification Data:** 81349-mil-h-29210 government specification Shelf Life:

N/a

Unit Of Measure:

NSN 4720-01-194-5162

Nonmetallic Hose Assembly - Page 2 of 2



Demilitarization:

No

Fiig:

A542a0

Mil-std (military Standard):

Mil-h-29210 spec.