Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-196-3396

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
1.000 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 300.0 degrees fahrenheit single response
Outside Diameter:
1.220 inches
Minimum Inside Bending Radius:
4.000 inches
Connection Style:
Nut assembly with gasket 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
14 1st end
Burst Test Pressure:
500.0 pounds per square inch
Layer Composition And Location:
1st layer molded rubber and 2nd layer braided wire and outer layer braided synthetic cord
Maximum Operating Pressure:
125.0 pounds per square inch
Thread Size:
1.250 inches 1st end
Hydrostatic Test Pressure:
250.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
20.750 inches working and 21.250 inches working
Thread Series Designator:
Unjs 1st end
Shelf Life:
N/a
Unit Of Measure:

---

## NSN 4720-01-196-3396

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

