

View Online at <https://aerobasegroup.com/nsn/4720-01-200-2814>

Cross Sectional Shape:

Round

Inside Diameter:

0.250 inches

Tempurature Rating:

-40.0 degrees fahrenheit single response and 160.0 degrees fahrenheit single response

Outside Diameter:

0.600 inches

Exterior Color:

Black

Hose Or Tubing Specification/std Data:

Mil-h-81581 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Connection Type:

Threaded internal hose 1st end

Second End Relationship With First End:

Identical

Burst Test Pressure:

900.0 pounds per square inch

Layer Composition And Location:

Outer layer molded rubber, neoprene err-100

Maximum Operating Pressure:

225.0 pounds per square inch

Hydrostatic Test Pressure:

450.0 pounds per square inch

Outer Covering Environmental Protection:

Fire retardant

Inside Surface Condition:

Smooth

Measuring Method And Length:

57.750 inches working and 58.750 inches working

Special Features:

0.4375-20 unjf-3b hex nut thread

Media For Which Designed:

Ethylene glycol single response and hydraulic fluid, silicate-ester base single response

Specification Data:

Mil-h-81581 professional/industrial association specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0

Mil-std (military Standard):

Mil-h-81581 spec.